

# GLENELG HIGH SCHOOL *Calculus GT*

Summer Pre-View Packet

## **DUE THE FIRST WEEK OF SCHOOL**

The problems in this packet are designed to help you review topics from previous mathematics courses that are important to your success in

*Calculus GT.*

DO ALL PROBLEMS WITHOUT A CALCULATOR. Show all work that leads you to each solution on separate sheets of paper. You may use your notes from previous mathematics courses to help you. Additional copies of this packet may be obtained from the Main Office in your school or printed from the school's website.

ALL work should be completed and ready to turn in on the FIRST WEEK of school. This packet will count as part of your first quarter grade.

**ENJOY YOUR SUMMER!! WE ARE LOOKING FORWARD TO SEEING YOU IN THE FALL.**

Student Name: \_\_\_\_\_

School: \_\_\_\_\_

Date: \_\_\_\_\_

GLENELG Calculus GT Summer Review

Name \_\_\_\_\_

**USE A SEPARATE SHEET OF PAPER TO SHOW ALL WORK THAT LEADS TO YOUR ANSWER.**

1. Simplify.

a)  $\frac{x-4}{x^2-3x-4}$

b)  $\frac{x^3-8}{x-2}$

c)  $\frac{5-x}{x^2-25}$

2. Trigonometric Pythagorean Identities: a)  $\sin^2 x + \cos^2 x =$  \_\_\_\_\_

b)  $1 + \tan^2 x =$  \_\_\_\_\_

c)  $\cot^2 x + 1 =$  \_\_\_\_\_

3. Simplify each expression. Write answers with positive exponents where applicable:

a)  $\frac{1}{x+h} - \frac{1}{x}$

b)  $\frac{\frac{2}{x^2}}{\frac{10}{x^5}}$

c)  $\frac{12x^{-3}y^2}{18xy^{-1}}$

d)  $(5a^{\frac{2}{3}})(4a^{\frac{3}{2}})$

e)  $(4a^{\frac{5}{3}})^{\frac{3}{2}}$

f)  $\log_{100} \frac{1}{100}$

g)  $\ln e^7$

h)  $27^{\frac{2}{3}}$

i)  $\log_{\frac{1}{2}} 8$

j)  $x^{\frac{3}{2}}(x + x^{\frac{5}{2}} - x^2)$

5. Given:  $f(x) = \{(3, 5), (2, 4), (1, 7)\}$ ,  $g(x) = \sqrt{x-3}$  and  $h(x) = x^2 + 5$ , determine:

a)  $h(g(x))$

b)  $g(h(-2))$

c)  $f^{-1}(x)$

d)  $g^{-1}(x)$  by switching \_\_\_\_\_ and then solving for \_\_\_\_\_. (Fill in the blanks and find the inverse.)

6. Expand and simplify:  $\sum_{n=2}^5 (3n-6)$

GLENELG Calculus GT Summer Review

7. Using EITHER the slope/intercept ( $y = mx + b$ ) or the point slope  $y - y_1 = m(x - x_1)$  form of a line, write an equation for the lines described: SHOW ALL WORK

- a) with slope -2, containing the point (3, 4)
- b) containing the points (1, -3) and (-5, 2)
- c) with slope 0, containing the point (4, 2)
- d) parallel to  $2x - 3y = 7$  and passes through (5,1)
- e) perpendicular to the line in problem #7 a, containing the point (3, 4)

8. Without a calculator, determine the exact value of each expression:

- a)  $\sin \frac{\pi}{2}$
- b)  $\sin \frac{3\pi}{4}$
- c)  $\cos \pi$
- d)  $\cos \frac{7\pi}{6}$
- e)  $\cos \frac{\pi}{3}$
- f)  $\tan \frac{7\pi}{4}$
- g)  $\tan \frac{2\pi}{3}$
- h)  $\tan \frac{\pi}{2}$

9. For each function, make a neat **sketch**, putting numbers on each axis. Determine the **Domain** and **Range** for each function. Also, for parts d, e, f and g, write the equations of the asymptotes

- a)  $y = \sin x$
- b)  $y = x^3 - 2x^2 - 3x$
- c)  $y = x^2 - 6x + 1$
- d)  $y = \frac{x+4}{x-1}$
- e)  $y = \ln x$
- f)  $y = e^x$
- g)  $y = \frac{1}{x}$
- h)  $y = \frac{x^2 - 4}{x + 2}$
- i)  $y = \sqrt[3]{x}$
- j)  $y = |x + 3| - 2$
- k)  $y = \sqrt{x - 4}$
- l)  $y = \sqrt{x^2 + 4}$

10. Make a neat sketch of the piecewise function:

$$y = \begin{cases} x^2 & \text{if } x < 0 \\ x + 2 & \text{if } 0 \leq x < 3 \\ 4 & \text{if } x \geq 3 \end{cases}$$

GLENELG Calculus GT Summer Review

11. Solve for  $x$ , where  $x$  is a real number. Show the work that leads to your solution:

a)  $2x^2 + 5x = 3$

b)  $(x - 5)^2 = 9$

c)  $(x + 3)(x - 3) > 0$

d)  $\log x + \log(x - 3) = 1$

e)  $|x - 3| < 7$

f)  $\ln x = 2t - 3$

g)  $12x^2 = 3x$

h)  $27^{2x} = 9^{x-3}$

i)  $e^{3x} = 5$

12. If  $f(x) = x^2 - 2x$ , determine

a)  $f(x + h)$

b)  $f(x + h) - f(x)$

c)  $\frac{f(x + h) - f(x)}{h}$